

PREFERRED INDUSTRIAL

MATERIAL SAFETY DATA SHEET

EMERGENCY#: CANUTEC (613) 996-6666

PRODUCT IDENTIFICATION AND PREPARATION INFORMATION

PRODUCT NAME: CutzAll **EFFECTIVE DATE:** February 28, 2011
WHMIS CLASS: Class A, Class B - Div 5, Class D - Div 2B
T.D.G. CLASSIFICATION: Consumer commodity, ORM-D
MATERIAL USE: Cutting and tapping fluid

HAZARDOUS INGREDIENTS

CHEMICAL NAME	CAS #	%WT	TWA/TLV	LD 50	LC 50
Ethyl Alcohol	64-17-5	40-50	1000 ppm	7060 mg/kg Oral Rat	31623 ppm Rat 4Hr
Polyalkylene Glycol Monobutyl Ether	9038-95-3	10-20	N/E	N/D	N/D
Amine Containing Alcohol	not available	00-02	N/E	N/D	N/D
Liquified Petroleum Gas	68476-86-8	20-40	1000 ppm	N/D	N/D

PHYSICAL DATA

Data Below Based On Aerosol Concentrate Only:

BOILING POINT: 74°C **pH:** N/A **VAPOR DENSITY(AIR=1):** >1
SOLUBILITY IN WATER: Complete **SPECIFIC GRAVITY (H₂O=1)@70°F:** 0.86

APPEARANCE/ODOR: Clear Liquid, Alcohol Odor

Data Below Based On Total Contents:

VAPOR PRESSURE OF CAN (PSIG @20° C): 50 **TOTAL VOC %:** ~78.4%

FIRE AND EXPLOSION DATA

Flash Point (of Concentrate Only): 5° C (T.O.C) **Flammability** (as per Flame Projection Test): Flammable Spray

Extinguishing Media: Foam, CO₂, Dry Media

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.

Unusual Fire and Explosion Hazards: Exposure to temperature above 50° C may cause bursting.

REACTIVITY DATA

Stability: Material Stable. **Hazardous Polymerization:** Will not Occur.

Incompatibility: Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxides.

FIRST AID

Eyes: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

Skin: Wash with soap and water. If irritation persists seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately.

TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY: Eyes, skin contact, inhalation, ingestion

EFFECTS OF ACUTE AND CHRONIC EXPOSURE:

Eyes: May cause slight irritation but does not injure eye tissue.

Skin: Frequent or prolonged contact may cause irritation.

Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects.

Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

EFFECTS OF CHRONIC EXPOSURE:

CARCINOGENICITY: Not hazardous by WHIMIS criteria,

REPRODUCTIVE TOXIN: N/D

TERATOGENICITY: N/D

MUTAGENICITY: N/D

SYNERGISTIC MATERIALS: N/D

PREVENTATIVE MEASURES

Respiratory Protection: None needed for proper use in accordance with label directions.

Ventilation: Provide local exhaust.

Protective Gloves: None needed for proper use in accordance with label directions.

Eye Protection: None needed unless it is anticipated that a splash or spray back will occur, then wear safety glasses.

STEPS TO BE TAKE IN CASE OF SPILL OR LEAK: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, Provincial and local laws.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, Provincial and local authorities for approved procedures.

HMIS HAZARD RATING INFORMATION

FLAMMABILITY

4

REACTIVITY

0

HEALTH

1

DISCLAIMER: Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases, data is not available and is so stated. Since conditions of actual product use are beyond the control of the supplier, it is assumed that the user of this material has been full trained according to the mandatory requirements of WHIMIS. No warranty, expressed or implied is made, and supplier will not be liable for any losses, injuries, or consequential damage that may result from the use or reliance on any information contained in this form.

PREFERRED INDUSTRIAL

#3160-21331 GORDON WAY

RICHMOND, BC V6W 1J9

1-604-231-6030