

Preferred Industrial MATERIAL SAFETY DATA SHEET

EnviraSafe Bio-G (Grease)

Supplier: Preferred Industrial Products Corporation

#3160-21331 Gordon Way, Richmond, BC Canada V6W 1J9

24 HOUR EMERGENCY ASSISTANCE: Chemtrec: (800) 424-9300

GENERAL MSDS ASSISTANCE: 604-230-6030 or TF: 1-866-522-1600

DATE PREPARED: May 01, 2008

DATE REVISED: September 21, 2010

PRODUCT NAME: EnviraSafe-BioG

HMIS: Health – 1 Fire – 0 Reactivity – 0 Protection - B

Date Issued: **December 02, 2007**

Date Revised: **September 21, 2010**

I. IDENTIFICATION & PHYSICAL DATA

Product Name: Soy Grease EP Premium

Product Class: Formulated Lubricating Grease

Manufacturer's I.D.: EnviraSafe Bio-G EP2

VOC: None

Solubility In Water: Practically Insoluble

Evaporation Rate: Slower Than Butyl Acetate

Appearance and Odor: Red grease with characteristic vegetable oil odor

Percent Volatile by Volume: 0

Boiling Range: ND

Vapor Density: Heavier than Air

Specific Gravity: 0.92

Vapor Pressure at 20 C: <0.5mm Hg

II. COMPOSITION/INFORMATION ON INGREDIENTS

	CAS #	OSHA TWA	OSHA STEL	ACGIH STEL	ACGIH TWA
Soybean Oil	8001-22-7	15 mg/m ³	---	---	---
Fatty Acid Lithium Soap	Mixture	---	---	---	---
Additive Mixture**	Confidential	---	---	---	---

** This information is being withheld by suppliers as trade secret

--- Not established

THE PRECISE COMPOSITION OF THIS PRODUCT IS PROPRIETARY INFORMATION. A MORE COMPLETE DISCLOSURE WILL BE PROVIDED TO A PHYSICIAN IN THE EVENT OF A MEDICAL EMERGENCY.

SARA HAZARD: NONE NOTED (SECNON 311/312) TITLE III SECTION 313 - NOT LISTED

All components of this product are listed on the TSCA registry.

III. FIRE & EXPLOSION DATA **Flash Point, Base Oil:** >620°F (Pensky-Martens) **LEL:** No Data

Extinguishing Media:

Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Unusual Fire & Explosion Hazards:

Closed containers may rupture (due to buildup of pressure) when exposed to extreme heat.

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

IV. REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Fire, excessive heat.

Materials to Avoid: Strong oxidizing agents.

Hazardous Decomposition Products:

Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide.

V. HEALTH HAZARD DATA

Effects of Overexposure:

Ingestion: No specific information available.

Contains materials that may be practically nontoxic.

Inhalation: No specific information available.

Heating can generate vapors that could cause headaches, nausea, dizziness, and respiratory irritation if inhaled.

Skin Absorption: No specific information available.

Contains materials that may be practically nontoxic.

Skin Contact: No specific information available.

Contains materials that may cause skin irritation on prolonged or repeated exposure.

Eye Contact: No specific information available.

Contains materials that may cause eye injury, which may persist for several days.

Chronic Effects of Overexposure: No information available.

Emergency & First Aid Procedures:

Eye Contact:

Flush with plenty of water for at least 15 minutes and seek medical attention if irritation persists.

Skin Contact:

Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

Ingestion:

If appreciable quantities are swallowed, seek medical attention.

Inhalation:

In case of over exposure to fumes if product is heated, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

VI. WASTE DISPOSAL

Dispose of waste in accordance with federal, state, provincial and local regulations.

VII. SPECIAL PROTECTION INFORMATION

Respiratory Protection:

Wear a properly fitted NIOSH/MSHA approved respirator whenever exposure to vapor from heating product is likely and where ventilation is inadequate.

Ventilation:

Local Exhaust: Recommended when appropriate to control employee exposure.

Mechanical: Not recommended as the sole means of controlling employee exposure.

Protective Gloves: For operations where contact can occur, wear impervious gloves.

Eye Protection: Safety goggles.

Other Protective Equipment: For operations where contact can occur, a safety shower and eye wash facility should be available.

VIII. SPECIAL PRECAUTIONS

Store it in a dry place. Keep container closed.

IX. TOXICOLOGICAL INFORMATION

Acute Toxicity: Relatively harmless [EL50 >1000 mg/L *D. Magna* (base oil)]

X. BIODEGRADABILITY INFORMATION

Components are naturally biodegradable by OECD 301C (BOD/ThOD) Test Method.

XI. FEDERAL, STATE and PROVINCIAL R-T-K COMPOSITION INFORMATION

Component	CAS #	DSL	NDSL
Soybean Oil	8001-22-7	---	---
Fatty acid Lithium Soap	Mixture	---	---
Additive Mixture**	Confidential	---	---

** This information is being withheld by suppliers as trade secret

--- Not established

XII. SARA Title III, Section 313 Information:

This product does not contain any SARA Title III Section 313 chemicals.

XIII. RCRA Information

Regulated Waste: No

XIV. CERCLA INFORMATION

Under EPA-CERCLA releases to air, land, or water, exceeding the reportable quantity, must be reported to the National Response Center (800-424-8802).

This product contains no materials with reportable quantities.

XV. California Proposition 65 Information:

To the best of our knowledge, this product does not contain any California Proposition 65 designated chemicals.

XVI. Transportation Information

D.O.T. Shipping Name: Not Regulated

D.O.T. Hazard Class: Not Regulated

D.O.T. UN/NA Number: None

XVII. Other Information: None

DISCLAIMER AND/OR COMMENTS

We recommend that containers be either professionally reconditioned for re-use by certified firms or properly disposed of by certified firms to help reduce the possibility of an accident. Disposal of containers should be in accordance with applicable federal, state, provincial, local laws and regulations. "Empty" drums should not be given to individuals.

The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

To the best knowledge of Preferred Industrial Products Corporation and any of its affiliated companies (The Company), Distributors, representatives or agents, (Others) the information contained herein is accurate and reliable as of the date of this material safety data sheet. However no liability whatsoever is assumed for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Since actual conditions of use or handling are beyond our control no liability or warranty is expressed, implied or accepted for any loss or damage caused directly or indirectly through the use of this product. Intending users should satisfy themselves by performing appropriate tests as to the suitability of this product for any particular purpose.

For further information:

www.preferredindustrial.com